

PRODUCT INFORMATION SHEET

HYPERION™

MODULAR SECURITY ENCLOSURE

A high visibility deterrent device designed to cover open areas as part of the Hyperion perimeter security solution.

FEATURES

- Highly Visual Deterrent with Law Enforcement-Like Signage
- All-In-One Design for Simple Installation
- Base Unit Comes with Strobes, Lights, and Siren
- Design Allows for Customization for Components
- Wireless Connection Extends the Range of Protection and Eases Installation
- Managed by the Hyperion Application Software

WREN
SOLUTIONS™

www.wrensolutions.com

MODEL

- | | |
|---------------|--|
| HYP-MSEWENR-W | Modular Security Enclosure, Wireless, with Siren, Strobes, and Spotlights, White |
| HYP-MSEWEN-W | Modular Security Enclosure, Wired, with Siren, Strobes, and Spotlights, White |



PRODUCT INFORMATION SHEET

MODULAR SECURITY ENCLOSURE

STROBE

- Color: Blue/Red (LED)
- Brightness: 320 Lumens

SPOTLIGHT (Per Light)

- Color: White (LED)
- Brightness: 1260 Lumens

PIEZO SIREN

- Sound Output: 104 Db

ELECTRICAL

- Voltage: 24VDC
- Power: 35W

ENVIRONMENTAL

- Indoor/Outdoor
- Operating Range: -4°F - 149°F (-20°C to 65°C)

 124 Wren Parkway, Jefferson City, MO 65109 USA
(800) 881-2249 • www.WrenSolutions.com



www.wrensolutions.com

CONSTRUCTION

- Housing: Aluminum
- Finish: White Powder Coat
- Weight: 17.0 lbs (7.71Kg)

DEVICE CONNECTION OPTIONS

Wireless (Model: HYP-MSEWENR-W):

- Hyperion Radio
 - Frequency: 902-928 MHz
 - Modulation: Frequency Shift Keying (FSK)
 - Sensitivity: -120 dBm

Wired (Model: HYP-MSEWEN-W):

- Hyperion Device Port (RJ45: No Ethernet)

CERTIFICATIONS

- FCC: Part 15
- IC: Class A/B ICES-003

Wren,® the Wren logo, and Hyperion® are trademarks of Wren. The trademarks that are followed by ® are registered trademarks in the U.S. All other trademarks and/or registered trademarks mentioned herein are properties of their respective owners and are for reference purposes only. The use of such third party trademarks does not indicate any affiliation with or sponsorship of or by Wren Solutions. Copyright © 2021 Wren Solutions. All rights reserved.

PRODUCT INFORMATION SHEET

MODULAR SECURITY ENCLOSURE

BUILD YOUR SOLUTION

The modular design of the MSE allows you to customize the features to most effectively impact the specific needs of your environment.

Select from the optional accessories below to optimize your deterrent strategy.


ACCESSORIES

MSE-PIRKIT-W	PIR Kit, 120° Detection Field
HYP-SPK15-W	Speaker Kit, Horn-Style, 15W, 8ohm
MSE-PLMNTKIT-W	Pole Mount Bracket Kit (Poles 6-10" in Diameter), Stainless Steel Band Clamps
MSE-CARMKIT	Single Camera Mount
MSE-PTZ-ADPTR	PTZ Adapter Kit, 1.5" NPT Male Threads



www.wrensolutions.com

DIMENSIONS



MSE Shown with Various Accessories installed



124 Wren Parkway, Jefferson City, MO 65109 USA
(800) 881-2249 • www.WrenSolutions.com


Wren,® the Wren logo, and Hyperion® are trademarks of Wren. The trademarks that are followed by ® are registered trademarks in the U.S. All other trademarks and/or registered trademarks mentioned herein are properties of their respective owners and are for reference purposes only. The use of such third party trademarks does not indicate any affiliation with or sponsorship of or by Wren Solutions. Copyright © 2021 Wren Solutions. All rights reserved.

PRODUCT INFORMATION SHEET

MODULAR SECURITY ENCLOSURE

ACCESSORIES


- **POLE MOUNTING.** Natively designed for wall-mounting, the pole mount kit allows the MSE be located throughout parking areas to extend your perimeter of security.
- **AUDIO MESSAGING.** Adding audio messaging is a powerful tool to enhance deterrence of unwanted activity. The Speaker Kit features an 8" exterior horn speaker with a power load rating of 15W to make sure messaging is heard clearly.
- **CAMERA MOUNTS.** Augmenting the MSE with video or simulated cameras can be an effective method to manage your property. The MSE provides locations for mounting two fixed cameras and one PTZ.
- **MOTION DETECTION.** The PIR kit provides accurate detection of activity in the areas near the MSE to engage your Hyperion response protocol and keep your property secure.




HYP-SPK15-W



MSE-PIRKIT-W



MSE-PLMNTKIT-W



MSE-CARMKIT



MSE-PTZ-ADPTR



www.wrensolutions.com



124 Wren Parkway, Jefferson City, MO 65109 USA
(800) 881-2249 • www.WrenSolutions.com

Wren,® the Wren logo, and Hyperion® are trademarks of Wren. The trademarks that are followed by ® are registered trademarks in the U.S. All other trademarks and/or registered trademarks mentioned herein are properties of their respective owners and are for reference purposes only. The use of such third party trademarks does not indicate any affiliation with or sponsorship of or by Wren Solutions. Copyright © 2021 Wren Solutions. All rights reserved.